

## Application No. Applicant(s) 10/708,841 BEENAU ET AL. Notice of Allowability Examiner **Art Unit** Nam V. Nguyen 2612 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 7/21/06. 2. The allowed claim(s) is/are 1-20. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some\* c) None of the: a) All 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: \_\_\_\_\_. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date \_\_\_\_\_. (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_ Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_. 3. Information Disclosure Statements (PTO/SB/08), 7. Examiner's Amendment/Comment Paper No./Mail Date \_ 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. Other \_\_\_\_\_.

Application/Control Number: 10/708,841

Art Unit: 2612

## Allowable Subject Matter

This communication is in response to applicant's amendment which is filed July 21, 2006 in the application of Beenau et al. for a "biometric safeguard method with a fob" filed March 26, 2004.

The proposed amendment has been entered and made of record. Claims 1-2, 4 and 13 have been amended to more particularly point out and distinctly claim the invention.

The new set of claims 17-20 have been introduced.

Applicant's amendment and argument with respect to the pending claims 1-16, filed July 21, 2006, places the application in condition for allowance.

Claims 1-20 are allowed as evident by applicant's amendment and argument.

The following is an examiner's statement of reasons for allowance: The prior art of record fails to disclose or suggest a method of determining whether said transaction exceeds a combination of said preloaded value and a reload value defined by a reload protocol data file associated with said transponder, wherein said preloaded value data file and said reload protocol data file define predetermined values for use in satisfying a user transaction request; notifying a user to proffer a biometric sample to authorize use of said combination of said preloaded value and said reload value to complete said transaction; authorizing said transaction to proceed by

Application/Control Number: 10/708,841

' Art Unit: 2612

applying said preloaded value from a first funding source associated with said transponder and applying a portion of said reload value from one of said first funding source and a second funding source according to said reload protocol data file.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nam V Nguyen whose telephone number is 571-272-3061. The examiner can normally be reached on Mon-Fri, 8:00AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on 571- 272-7308. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9314 for regular communications and 703-872-9314 for After Final communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

- Art Unit: 2612

Nam Nguyen September 25, 2006

WENDY R. GARBER

OF IPER SORY PATENT EXAMINED

TECHNOLOGY CENTER 2500